

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/776,671	02/06/2001	Masaru Honda	Q62961	2529	
75	90 03/10/2003				
SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC 2100 PENNSYLVANIA AVENUE, N.W.			EXAMINER		
			HON, SOW FUN		
WASHINGTO	WASHINGTON, DC 20037-3213			·	
			ART UNIT	PAPER NUMBER	
			1772		
			DATE MAILED: 03/10/2003		

Please find below and/or attached an Office communication concerning this application or proceeding.

		AS-8				
	Application No.	Applicant(s)				
Office Action Summary	09/776,671	HONDA ET AL.				
Office Action Summary	Examiner	Art Unit				
T. 11411 NO 2477 C. 1.	Sow-Fun Hon	1772				
The MAILING DATE of this c mmunication app Period for Reply	lears in the cover sheet with the o	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, - Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).  Status	36(a). In no event, however, may a reply be ting within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	mely filed ys will be considered timely. In the mailing date of this communication. ED (35 U.S.C. § 133).				
1) Responsive to communication(s) filed on <u>02 J</u>	lanuary 2003 .					
2a) ☐ This action is <b>FINAL</b> . 2b) ☑ Thi	is action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.  Disposition of Claims						
4) $\boxtimes$ Claim(s) <u>1-16</u> is/are pending in the application		•				
4a) Of the above claim(s) is/are withdraw	wn from consideration.	• • •				
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-16</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9) The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) □ accepted or b) □ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
11) ☐ The proposed drawing correction filed on is: a) ☐ approved b) ☐ disapproved by the Examiner.						
If approved, corrected drawings are required in reply to this Office action.						
12)☐ The oath or declaration is objected to by the Examiner.						
Priority under 35 U.S.C. §§ 119 and 120						
13)⊠ Acknowledgment is made of a claim for foreign	n priority under 35 U.S.C. § 119(a	a)-(d) or (f).				
a)⊠ All b)□ Some * c)□ None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
<ul> <li>3. Copies of the certified copies of the prior application from the International But</li> <li>* See the attached detailed Office action for a list</li> </ul>	reau (PCT Rule 17.2(a)).					
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).						
<ul> <li>a)  The translation of the foreign language pro</li> <li>15)  Acknowledgment is made of a claim for domesting</li> </ul>	• •					
Attachment(s)						
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s)	5) Notice of Informal	y (PTO-413) Paper No(s) Patent Application (PTO-152)				

Application/Control Number: 09/776,671 Page 2

Art Unit: 1772

### **DETAILED ACTION**

### **Drawings**

1. The proposed drawing correction and/or the proposed substitute sheets of drawings, filed on 01/02/03 have been accepted. A proper drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The correction to the drawings will not be held in abeyance.

### Response to Amendment

## Withdrawn Rejections

- 2. The 112,2<sup>nd</sup> paragraph rejections of claims 1-16 in Paper # 6 (mailed 10/01/02) have been withdrawn due to Applicant's amendment and clarification in Paper # 7 (filed 01/02/03).

  Applicant has affirmed the broad interpretation of the order of the dichroic polarizer, reflective polarizer and transflector wherein the dichroic polarizer is always at one end, and the reflective polarizer can either be in the middle or at the other end of the three components, in that order.
- 3. The 102(b) and 103(a) rejections of claims 1-16 over Weber et al. as the primary reference in Paper # 6 (mailed 10/01/02) have been withdrawn due to Applicant's clarification in Paper # 7 (filed 01/02/03) that unlike the switchable transflector of Weber et al., the transflector of the present application does not comprise a reflective polarizer.

### New Rejections

# Claim Rejections - 35 USC § 103

4. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

7

Application/Control Number: 09/776,671

Art Unit: 1772

5. Claims 1-8, 12-14, 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Weber et al. in view of Perregaux et al.

Weber et al. teaches a transflective polarizer comprising a dichroic polarizer, a reflective polarizer and a transflector (column 9, lines 45-65, column 10, lines 1-10 and column 12, lines 1-30). Weber et al. teaches that the polarization orientation of the dichroic (absorptive) polarizer is parallel to the transmission polarization orientation of the reflective polarizer on which it is placed (column 9, lines 45-65), thus a transmission axis of the dichroic polarizer and a transmission axis of the reflective polarizer are directed to the same direction.

Weber et al. teaches that the dichroic polarizer is an iodine-based or dye-based polarizing film and can be laminated on (included in the skin layer of) the reflective polarizer (column 10, lines 1-10). A light diffusive layer is laminated on at least one surface of the dichroic polarizer (column 11, lines 40-68 and column 12, lines 1-5). The reflective polarizer is a multi-layer laminate composed of two or more kinds of polymer films (column 10, lines 1-10). The birefringent film in the reflective polarizer has a quarter wavelength, and may have cholesteric (cholesteric polarizer) liquid crystal dispersed as droplets (polymer-dispersed liquid crystal) (column 9, lines 30-45, column 15, line 60-68 and column 7, lines 50-60). Since Weber et al. does not teach any in-phase retardation value of the transflector, it appears to be zero. Either the fast or the slow axis of the transflector and the dichroic polarizer are directed to the same direction since Weber et al. does not specify the preference.

Weber et al. teaches different embodiments of the LCD (liquid crystal display device), one being a light transmitting plate (light guide), light source (lamp) and a reflector (reflective housing) in this order. Another embodiment has a light source, a liquid crystal cell and a

dichroic (absorptive) polarizer on the very top (column 11, lines 40-65). Weber et al. teaches a light diffusive layer laminated on at least one surface of the dichroic polarizer (column 12, lines 1-5).

Weber et al., however, fails to teach a transflector which does not comprise a reflective polarizer.

Perregaux et al. teaches a transflector which contains a matrix of polystyrene to which is added scaly reflective particles of mica coated with metal oxide (titanium dioxide) and particles of polyethylene (column 4, lines 20-35) placed between an LCD and a light source. Perregaux et al. teaches that the transflector enables the very exact setting of the ratio of transmission to reflection by the suitable selection of the type and the amount of the particles (first filling material) (column 2, lines 45-65).

Because Perregaux et al. teaches that the transflector enables the very exact setting of the ratio of transmission to reflection, and Weber et al. teaches that the reflective polarizer is a multi-layer laminate composed of two or more kinds of polymer films with the dichroic polarizer laminated onto one side, and the transflector is positioned on the other side, it would have been obvious to one of ordinary skill in the art to have laminated the transflector of Perregaux et al. onto the other side of the reflective polarizer in the invention of Weber et al. in order to obtain a transflective polarizer with the desired setting of the ratio of transmission to reflection.

6. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Weber et al. in view of Perregaux et al. as applied to claims 1-8, 12-14, 16 above, and further in view of Ketchpel.

Application/Control Number: 09/776,671

Art Unit: 1772

Weber et al. has been discussed above, and teaches a switchable transflector, but fails to teach the transflector as a film of metal on a polymer film.

Ketchpel teaches a transflector which is a metal film deposited on a polymer film (column 2, lines 10-40), and that the transflector permits reflection of substantial percentages of incident light and transmission of substantial percentages of back light (column 4, lines 55-60).

Because Ketchpel teaches that the transflector permits reflection of substantial percentages of incident light and transmission of substantial percentages of back light, it would have been obvious to one of ordinary skill in the art to have used the transflector of Ketchpel as the transflector in the invention of Weber et al. in order to obtain a transflective liquid crystal display with high reflection of incident light and high transmission of back light.

7. Claims 10-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Weber et al. in view of Perregaux et al. as applied to claims 1-8, 12-14, 16 above, and further in view of Cobb, Jr. et al.

Weber et al. has been discussed above, and teaches a switchable transflector, but fails to teach the transflector as having a pressure sensitive adhesive matrix.

Cobb, Jr. et al. teaches a transflective liquid crystal display (column 1, lines 15-30).

Cobb et al. teaches a diffusing layer on a reflective polarizer, in the form of an adhesive made from droplets dispersed in a pressure sensitive adhesive (column 3, lines 35-68), composed of more than two different polymers, acrylic/styrene particles in a polyacrylate matrix. Cobb, Jr. et al. teaches that the diffusing adhesive performs the dual function of diffusion and adhesion (column 3, lines 25-65 and column 4, lines 1-10).

Application/Control Number: 09/776,671 Page 6

Art Unit: 1772

Because Cobb, Jr. et al. teaches that the diffusing adhesive performs the dual function of diffusion and adhesion, it would have been obvious to one of ordinary skill in the art to have used the teaching of Cobb et al. to apply the transflector of Perregaux et al. in the form of a pressure sensitive adhesive to the multilaminate reflective polarizer in the invention of Weber et al. in order to obtain a transflective polarizer whereby the transflector performs the dual function of transflection and interlaminar adhesion.

8. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Weber et al. in view of Perregaux et al. as applied to claims 1-8, 12-14, 16 above, and further in view of Inoue et al.

Weber et al. has been discussed above, and teaches an LCD with a switchable transflector, but fails to teach a phase retarder in the LCD.

Inoue et al. teaches a transflective liquid crystal device with a transflector (column 2, lines 40-50). Inoue et al. teaches that a phase retarder (anisotropic substance) is placed between the liquid crystal cell and the polarizer (polarizing plate) (column 3, lines 1-50) which can be dichroic (absorptive) (column 18, lines 35-60) in order to obtain the desired retardation effect for multiple color display (column 1, lines 55-65).

Inoue et al. demonstrates that it would have been obvious to one of ordinary skill in the art to have placed a phase retarder in the LCD in the invention of Weber et al. in order to obtain a transflective liquid crystal display with the desired retardation effect for multiple color display.

### Response to Arguments

9. Applicant's arguments with respect to claims 1- have been considered but are moot in view of the new ground(s) of rejection.

Application/Control Number: 09/776,671

Art Unit: 1772

Page 7

Any inquiry concerning this communication should be directed to Sow-Fun Hon whose telephone number is (703)308-3265. The examiner can normally be reached Monday to Friday from 9:00 AM to 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Harold Pyon, can be reached on (703)308-4251. The fax phone number for the organization where this application or proceeding is assigned is (703)872-9310.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)308-0661.

84

Sow-Fun Hon

03/06/03

JPERVISORY PATENT EXAMINER

3/1/03